


Electric fan  
24V DC - 25W



MOTOR WITH PTC

Power [kW] <b>2.2</b>	Duty Cycle <b>S1</b>	Base speed [rpm] <b>18000</b>	Base freq. [Hz] <b>300</b>	Base voltage Δ [V] <b>220</b>	Absorb. Δ [A] <b>8.6</b>	Base voltage Y [V] <b>380</b>	Absorb. Y [A] <b>5.0</b>
Power [kW]	Duty Cycle	Base speed [rpm]	Base freq. [Hz]	Base voltage Δ [V]	Absorb. Δ [A]	Base voltage Y [V]	Absorb. Y [A]
Min speed [rpm] <b>6000</b>	Max speed [rpm] <b>24000</b>	Max freq. [Hz] <b>400</b>	Protection <b>IP54</b>	Ins. Cl. <b>F</b>	Part number on nameplate <b>COM41470585</b>		
Balancing according to ISO 1940 - G2.5 @ 24000 rpm		Balancing type		tool type full key	tool type half key	Peso / weight <b>8.50 kg</b>	

**TEKNOMOTOR**

Teknomotor S.r.l.  
Via Argenegea 31, I-32038 Quero Vas (BL)  
www.teknomotor.com

rev. n° <b>00</b>	description <b>Emissione</b>		date <b>12/04/2017</b>	signature <b>D. Bottarel</b>	Customer <b>Catalogo</b>	Drawing code <b>COM41470585</b>
Tolleranze non quotate: UNI EN 22768 fH Smussi non quotati: 0.5 mm Rugosità secondo UNI ISO 1302						

drawn - date <b>D. Bottarel - 12/04/2017</b>	approved - date <b>S. Perli - 12/04/2017</b>	checked - date <b>S. Perli - 12/04/2017</b>	sostituisce il sostituito dal	foglio / sheet <b>1 / 1</b>	scala <b>1:2</b>	
---	---	--	----------------------------------	--------------------------------	---------------------	--